

# FEATURES



NEW GRANI ELEGAN and GRANIQUEEN are natural stone-like special coatings providing granite textured finish. They provide easy maintenance and excellent workability. As various designs are available, they help you to create unique space of your own.

1

# Luxurious finish with a genuine natural stone look

They create natural stone-like gorgeous wall. Various colours are available for your colour coordinate.




Genuine stone

7

# Dirt resistance and Super durability


With super protective transparent coat, they shall achieve super anti-pollution and long term durability.



3

# Elastic property of NEW GRANI ELEGAN/GRANIQUEEN

With a slightly elastic material as mid-coat, water resistance and flexibility are added to the features. Since they are fairly flexible about hairline crack on the surface, they are suitable for renovation without limitations to new substrates.





For external heat insulation

SKK has developed elastic type of NEW GRANI ELEGAN and GRANIQUEEN providing various stone-like patterns and supporting energy saving and environmental protection that are achieved by external heat insulation system.

# FEATURES





# Various finish-patterns and groove designs are available

Besides smooth finish, various types of patterns such as flamed granite-like finish, chiselled granite-like finish, travertine finish are available. And not only stone-like design but also tile-like design is available. Your creative idea of groove shall add decorative design to your wall.



Chiselled Granite-like finish



Travertine Finish



Groove Finish with Tile-like Pattern



Flamed Granite-like Finish

# Decoration to various conditions of substrates

Thin film coatings can be applied to various conditions of substrates. Some structures have many internal corners, round columns, GRC panels, etc. Natural stone-like finish can be applied on all kinds of areas offering a wider choice of designs.







# Application procedure for groove finish



1. Undercoat



2. Fixing stickers



3. Mid-coat



4. Base coat



5. Removing stickers



6. Topcoat

# Suitable substrates

Cement rendering, concrete, GRC panels, PC panels, ALC panels, slate boards, various types of boards, old films, etc.

# Colours



# Type of patterns

NEW GRANI ELEGAN and GRANIQUEEN are available in small patterns and large patterns.

# **NEW GRANI ELEGAN**





\*The colour number is RH- ••• for large patterns and GH- ••• for small patterns.

# **GRANIQUEEN**





\*The colour number is RW- ••• for large patterns and GW- ••• for small patterns.

# Colour difference

Colour looks slightly different depending on textured patterns. Travertine finish looks darker due to rough surface creating





\*For NEW GRANI ELEGAN, each colour matches with nature providing the subdued finish. For GRANIQUEEN, the contrast of each colours is clear with textured patterns. 
\*The colours of NEW GRANI ELEGAN and GRANIQUEEN are slightly different. 
Check and confirm the colour with sample boards before placing an order.

# ■ INDEX

Colour No.	. Page	Colour No.	Page														
GH-700	11	GH-713	6	GH-726	12	GH-736	14	GH-746	15	GH-757	16	GH-767	19	GH-779	13	GH-790N	12
GH-701	11	GH-715	8	GH-727	10	GH-737	14	GH-747	15	GH-758	16	GH-768	19	GH-780	13	GH-791N	11
GH-702	11	GH-716	6	GH-728	9	GH-738	14	GH-748	12	GH-759	14	GH-769	20	GH-781	19	GH-792N	7
GH-704	11	GH-718	7	GH-729	9	GH-739	14	GH-749	12	GH-760	17	GH-770	17	GH-782	11	GH-793N	15
GH-705	7	GH-720	10	GH-730	14	GH-740	19	GH-751	15	GH-761	17	GH-771	16	GH-783	19	GH-794N	15
GH-706	7	GH-721	10	GH-731	8	GH-741	18	GH-752	9	GH-762	20	GH-772	17	GH-785N	16	GH-795N	13
GH-707	8	GH-722	10	GH-732	9	GH-742	18	GH-753	19	GH-763	20	GH-774	17	GH-786N	16	GH-796N	8
GH-708	8	GH-723	10	GH-733	9	GH-743	18	GH-754	9	GH-764	20	GH-775	16	GH-787N	17	GH-797N	7
GH-711	6	GH-724	12	GH-734	13	GH-744	18	GH-755	13	GH-765	20	GH-777	8	GH-788N	18	GH-798N	6
GH-712	6	GH-725	12	GH-735	15	GH-745	18	GH-756	7	GH-766	20	GH-778	13	GH-789N	10	GH-799N	6



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of

<sup>90</sup> or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH
for GRANIQUEEN.

In case of large patterns, the colour number is RH
for NEW GRANI ELEGAN and RW
for GRANIQUEEN.




<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-••• for GRANIQUEEN.

In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.


<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of

<sup>90</sup> or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-••• Be careful that the colour number becomes GW-•• for GRANIQUEEN.

In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition, Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

<sup>\*</sup>The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH- •••. Be careful that the colour number becomes GW- •• for GRANIQUEEN. In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>Printed colours may be different from actual material colours.

\*These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-●● . Be careful that the colour number becomes GW-●● for GRANIQUEEN.

In case of large patterns, the colour number is RH-●● for NEW GRANI ELEGAN and RW-●● for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

<sup>\*</sup>The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-••• for GRANIQUEEN. In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of

<sup>90</sup> or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-•• for GRANIQUEEN. In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.




<sup>\*</sup>Printed colours may be different from actual material colours.

\*These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-••• for GRANIQUEEN.

In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of

<sup>90</sup> or higher, or under natural sunlight away from direct sunshine.

\*Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH
\*The colour shown on the pamphlet are NEW GRANI ELEGAN and RW
for GRANIQUEEN.

In case of large patterns, the colour number is RH
\*The colour number is RH-



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH- ••• Be careful that the colour number becomes GW- •• for GRANIQUEEN.

In case of large patterns, the colour number is RH- •• for NEW GRANI ELEGAN and RW- •• for GRANIQUEEN.




<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-\*\*
In case of large patterns, the colour number is RH-\*\*
for NEW GRANI ELEGAN and RW-\*\*
for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

<sup>\*</sup>The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH- ••• Be careful that the colour number becomes GW- ••• for GRANIQUEEN, In case of large patterns, the colour number is RH- ••• for NEW GRANI ELEGAN and RW- ••• for GRANIQUEEN.




<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-•• for GRANIQUEEN.

In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-•• for GRANIQUEEN.




<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (DS0) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH-•••. Be careful that the colour number becomes GW-••• for GRANIQUEEN. In case of large patterns, the colour number is RH-••• for NEW GRANI ELEGAN and RW-••• for GRANIQUEEN.



<sup>\*</sup>Printed colours may be different from actual material colours.

<sup>\*</sup>These colours may be slightly different depending on lighting condition. Check samples at colour temperature of 5000K (D50) and average colour rendering index (Ra) of 90 or higher, or under natural sunlight away from direct sunshine.

<sup>\*</sup>Check with sample boards and/or catalogues for colour confirmation before placing an order.

\*The colours shown on the pamphlet are NEW GRANI ELEGAN small patterns GH- ••• Be careful that the colour number becomes GW- ••• for GRANIQUEEN. In case of large patterns, the colour number is RH- ••• for NEW GRANI ELEGAN and RW- ••• for GRANIQUEEN.


# JOB REFERENCES













# JOB REFERENCES

















# JOB REFERENCES


















# HEAD OFFICE IN JAPAN

# SK KAKEN CO., LTD.

5-25. 3-Chome, Nakahozumi, Ibaraki-City, Osaka, 567-0034, Japan Tel: (81-72)621-7727 Fax: (81-72)621-7728 Web: http://www.sk-kaken.co.jp



## SINGAPORE

SKK (S) PTE. LTD. 14 Pandan Road, Singapore 609262 Tel: (65)6274-0020 Fax: (65)6278-0060 Web: http://www.skk.com.sg

Factory: SINGAPORE FACTORY

## INDIA

SKK (S) PTE. LTD. BANGALORE BRANCH OFFICE No.33/5, Mount Kailash, Meanee Avenue Road, Ulsoor, Bangalore, 560 042, India Tel: (91)80-4148-2831/2832 Fax: (91)80-4148-2836

### SKK (S) PTE, LTD, DELHI BRANCH OFFICE

55 Community Center, 1st Floor, East of Kailash, New Delhi-110066, India Tel: (91)11-4654-1999 Fax: (91)11-4654-1998

# SKK (S) PTE. LTD. MUMBAI BRANCH OFFICE

Unit No. 2/3, Ground Floor, Neelam Centre, "B" Wing, Hind Cycle Road, Worli, Mumbai- 400 030, India Tel: (91)22-6743-2528 Fax: (91)22-6743-2524

### SKK (S) PTE. LTD. KOLKATA BRANCH OFFICE

1/A.Mahindra Roy lane, Top Sia Road Bypass, Kolkara 700046, West Bengal, India

### INDONESIA

## SKK (S) PTE, LTD, JAKARTA REPRESENTATIVE OFFICE

Setiabudi Atrium Building, 5th floor, suite 504, Jl. H. R. Rasuna Said Kav. 62, Jakarta, Indonesia 12920 Tel: (62)21-5210401(5210402) Fax: (62)21-5210403

Factory: PT. SKK KAKEN INDONESIA

### VIETNAM

### SKK VIETNAM CO., LTD.

### HCMC OFFICE

Unit A1, 1st Floor, Y Ban Building, 69 Thach Thi Thanh St., Tan Dinh Ward, Dist, I, HCMC, Vietnam Tel: (84)8-2220-0983 Fax: (84)8-2220-0987

### HANOI OFFICE

loor 7, Lotus Building, No.2 Duy Tan Street, Dich Vong Hau Ward, Cau Giay District, Ha Noi city, Tel: (84)4-3556-1151(1152) Fax: (84)4-3556-1153

# HONG KONG

### SKK (H'K) CO., LTD.

38/F, @Convoy. 169 Electric Road, Fortress Hill, Hong Kong Tel: (852)2529-3968 Fax: (852)2527-0299 Web: http://www.skkhli.com.hk

## MALAYSIA

## SK KAKEN (M) SDN. BHD.

Suite 13.01, Level 13, Centrepoint South, The Boulevard, Mid Valley Ciry, Lingkaran Syed Putra, 59200 Kuala Lumpur, Malaysia Tel: (60)3-2282-9800 Fax: (60)3-2282-9810 Web: http://www.skk.com.my
Branch Office: Johor Babru, Kuantan, Penang

Factory: SKK CHEMICAL (M) SDN. BHD.

# THAILAND

SK KAKEN (THAILAND) CO., LTD.
161/1 SG Tower 5th Floor, Unit 504-5, Soi Mahadlek Luang 3,
Ratchadamri Rd, Lumpini, Pathumwan, Bangkok 10330, Thailand
Tel: (66)2-651-8722 Fax: (66)2-651-8721 Web: http://www.skk.co.th Branch Office: Chiang mai

Factory: SKK CHEMICAL (THAILAND) CO., LTD.

# SKK KAKEN (KOREA) CO., LTD.

#301, YookSamVenture Bldg, 708-33, YookSam-Dong, GangNam-Gu, Seoul, 135919, Korea Tel: (82)2-562-1592, Fax: (82)2-562-1594 Web: http://www.sk-kaken.com Branch Office: Busan

Factory: SEOUL FACTORY

### CHINA

## SIKOKU KAKEN (SHANGHAI) CO., LTD.

Units3-7, 25F, Far East International Plaza A. No.319 Xianxia Road, Changning District, Shanghai, China Tel: (86)21-6209-9169 Fax: (86)21-6209-9189 Web: http://www.skk.com.cn Branch Office: Beijing, Guangzhou, Shenyang, Dalian, Wuhan, Tianjin, Chungchun, Xi'an, Chongqing, Kunming, Nanjing, Suzhou, Hangzhou, Hefei, Henan, Taiyuan

Factory:

SHANGHAI FACTORY

SIKOKU KAKEN (LANGFANG) CO., LTD.